



You'll Find Best Practices at ASAP

Not all Substance Use Disorder (SUD) treatment programs are created equally. ASAP focuses solely on teens and their families. We also engage in all 9 Best Practices for SUD Treatment.

Best Practices: 9 Key Elements Embraces Them All!



#1 ASSESSMENT



Thorough assessment which matches the kind of treatment to the severity of the problem

#2 APPROACH



A comprehensive and integrated method to treatment

#3 FAMILY



Family involvement in the treatment process

#4 TAILORED



Information and materials that are designed specifically for the adolescent substance abuser

#5 RETENTION



Program strategies and activities that focus on engaging and retaining clients

#6 STAFF



Engaging, knowledgeable, and competent staff

#7 SENSITIVITY



An understanding of client differences in both gender and culture, including a weekly single gender group

#8 FOLLOW UP



Continuing Care that offers structured ongoing care to maintain progress

#9 SURVEYS



Treatment outcome studies to measure effectiveness in order to modify less effective approaches



The road to recovery

asapcincinnati.com

TEL 513.792.1272 FAX 513.891.4449

Incorporating Best Practices

Operating with best practices allows ASAP to be confident in the [treatment](#) we provide. We've [designed](#) our facility around teens and their families. Utilizing all 9 best practices for SUD treatment has earned ASAP certifications from CARF at each of our surveys.

From our [intake](#) process through our [Continuing Care](#) program, ASAP is a model for effective, caring treatment. Our clients and their parents give feedback during and after treatment to ensure that we are meeting our goals.

ASAP encourages clients to continue in established relationships with individual clinicians. We want to add SUD treatment when needed, rather than replacing what is helping. When clinicians recognize that clients would benefit from more intensive treatment, we can work with them. We offer families a Release of Information in order to communicate with our patient's clinicians.